

JAN 19 2006

Serial No. 10/757,891  
Filed: 1/15/2004  
Page 2 of 14

Examiner: Jennifer L. Norton  
Group Art Unit: 2121

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Currently Amended) A process for managing ~~total~~the power demand ~~absorbed~~ of one or more appliances, the process comprising the steps of:
  - assessing for each appliance an energy consumption profile of the one or more appliances corresponding to its setting;
  - summing the energy consumption profiles to determine if their sum leads to one or more peaks in power demand; and
  - providing one or more new energy consumption profiles to the one or more appliances for leveling the total power absorbed by the one or more appliances.
2. (Original) The process according to claim 1, wherein the appliances are controlled through on-off switching and wherein the appliances are synchronized for organizing the on-off switching of single appliances or components in order to limit peaks of power demand.
3. (Currently Amended) The process according to claim 2, wherein each on-off switching is based on a duty cycle and wherein a synchronizer puts in a sequence all the different duty cycles starting from the one related to the load with a higher power level, then organizes them inside a selected period of control, each duty cycle being placed in a precise position inside the period of control to avoiding unnecessary simultaneous activation of loads.
4. (Currently Amended) The process according to claim 1, wherein at least one of the new energy consumption profiles is based on a delayed switching on one of the appliances or components thereof.

Serial No. 10/757,891  
Filed: 1/15/2004  
Page 3 of 14

Examiner: Jennifer L. Norton  
Group Art Unit: 2121

5. (Currently Amended) The process according to claim 4, wherein on the basis of the new leveled energy consumption profiles, a signal related to future energy consumption profiles is provided, such signal being adapted to be used by a control unit which supervises more appliances and/or a utility company in order to have a forecast for future total energy consumption on the mains.
6. (Currently Amended) A system for managing and curtailing power demand absorbed of one or more appliances, each appliance having an user interface connected to a control unit for setting working parameters of the appliance, wherein the control unit is adapted to assess, for each appliance, an energy consumption profile corresponding to its setting, the control unit being adapted to sum the energy consumption profiles in order to check if their sum leads to one or more peaks in the power demand and to provide one or more new energy consumption profiles in order to level or reduce the total power absorbed by the one or more appliances or components thereof.
7. (Currently Amended) The system according to claim 6, wherein ~~the appliances~~ controlled through on-off switching further comprises a control circuit adapted to synchronize the appliances for organizing the on-off switching of single appliances in order to limit peaks of energy demand.
8. (Currently Amended) The system according to claim 7, wherein each on-off switching is based on a duty cycle and wherein a synchronizer is adapted to put in a sequence all the different duty cycles starting from the one related to the load with a higher power level, and ~~it is adapted to~~ organize them inside the selected period of control, each duty cycle being placed in a precise position inside the period of control to avoiding unnecessary simultaneous activation of loads.
9. (Currently Amended) The system according to claim 6, wherein the control unit is adapted to provide one or more new energy consumption profiles based on a delayed switching on one of the appliances or components thereof.
10. (Currently Amended) The system according to claim 9, wherein the control unit is adapted to provide, on the basis of the new leveled energy consumption profiles, a signal related to future

Serial No. 10/757,891  
Filed: 1/15/2004  
Page 4 of 14

Examiner: Jennifer L. Norton  
Group Art Unit: 2121

energy consumption profiles, such signal being adapted to be used by a control unit supervising more appliances and/or a utility company in order to have a forecast for future total energy consumption on the mains.

11. (New) The process according to claim 1, wherein leveling the total power absorbed comprises reducing the magnitude of the peaks of the total power absorbed.
12. (New) The process according to claim 1, wherein leveling the total power absorbed comprises maintaining the summed energy consumption at approximately an average energy consumption.
13. (New) The system according to claim 6, wherein reducing the total power absorbed by the one or more appliances or components comprises reducing the magnitude of the peaks of the total power absorbed.
14. (New) The system according to claim 6, wherein reducing the total power absorbed by the one or more appliances or components comprises maintaining the summed energy consumption at approximately an average energy consumption.